

Name	Supported Attributes	Comments
<a>	class="class name" href="URI for linked resource" id="document-wide unique id" name="name of target location" style="associated style info" title="advisory title"	Anchor. "Title" attribute defines target caption to appear in the PDF bookmarks list.
<abbr>	class="class name" id="document-wide unique id" style="associated style info"	abbreviated form (e.g. WDWL)
<acronym>	class="class name" id="document-wide unique id" style="associated style info"	
<address>	class="class name" id="document-wide unique id" style="associated style info"	information on author
<b>	class="class name" id="document-wide unique id" style="associated style info"	bold text style
<base>	href="URI for linked resource"	document base URI
<big>	class="class name" id="document-wide unique id" style="associated style info"	large text style
<blockquote>	class="class name" id="document-wide unique id" style="associated style info"	long quotation
<body>	background="URL of background image" bgcolor="color name" class="class name" dir="direction for weak/neutral text" id="document-wide unique id" style="associated style info"	document body
 		forced line break
<center>	class="class name" id="document-wide unique id" style="associated style info"	shorthand for: div align="center"
<cite>	class="class name" id="document-wide unique id" style="associated style info"	citation
<code>	class="class name" id="document-wide unique id" style="associated style info"	computer code fragment
<dd>	class="class name" id="document-wide unique id" style="associated style info"	definition description
<del>	class="class name" id="document-wide unique id" style="associated style info"	deleted text
<dfn>	class="class name" id="document-wide unique id" style="associated style info"	instance definition
<dir>	class="class name" id="document-wide unique id" style="associated style info"	directory list
<div>	align="left - center - right - justify" class="class name" id="document-wide unique id" style="associated style info"	generic language/style container

Name	Supported Attributes	Comments
<dl>	class="class name" id="document-wide unique id" style="associated style info"	definition list
<dt>	class="class name" id="document-wide unique id" style="associated style info"	definition term
<em>	class="class name" id="document-wide unique id" style="associated style info"	emphasis
<font>	class="class name" color="color" face="font name(s)" id="document-wide unique id" size="1-7 ()" style="associated style info"	local change to font
<form>		interactive form
<h1>,<h2>,<h3> <h4>,<h5>,<h6>	align="left - center - right - justify" class="class name" id="document-wide unique id" style="associated style info"	heading
<head>		document head
<hr>	align="left - center - right" class="class name" id="document-wide unique id" noshade size="pixels" style="associated style info" width="percentage - pixels"	horizontal rule
<html>		document root element
<i>	class="class name" id="document-wide unique id" style="associated style info"	italic text style
<img>	align="left - middle - right - top" border="pixels" class="class name" height="pixels" hspace="pixels" id="document-wide unique id" src="URL of image" style="associated style info" vspace="pixels" width="image width"	embedded image
<input>	align="left - middle - right - top" checked class="class name" disabled id="document-wide unique id" size="field size" src="URL of image" style="associated style info" type="input type/text" value="value"	form control
<ins>	class="class name" id="document-wide unique id" style="associated style info"	inserted text
<kbd>	class="class name" id="document-wide unique id" style="associated style info"	

<b>Name</b>	<b>Supported Attributes</b>	<b>Comments</b>
<label>	class="class name" id="document-wide unique id" style="associated style info"	form field label text
<legend>		fieldset legend
<li>	class="class name" id="document-wide unique id" style="associated style info" type="content type" value="value"	list item
<link>	href="URI for linked resource" type="content type"	a media-independent link
<menu>	class="class name" id="document-wide unique id" style="associated style info"	menu list
<meta>	name="author - description - keywords" content="text"	generic meta information. "description" defines subject of PDF document
<noframes>	class="class name" id="document-wide unique id" style="associated style info"	alternate content container for non frame-based rendering
<noscript>	class="class name" id="document-wide unique id" style="associated style info"	alternate content container for non script-based rendering
<ol>	class="class name" id="document-wide unique id" start="starting sequence number" style="associated style info" type="content type"	ordered list
<option>	selected value="value"	selectable choice
<p>	align="left - center - right - justify" class="class name" id="document-wide unique id" style="associated style info"	paragraph
<pre>	class="class name" id="document-wide unique id" style="associated style info" width="width specification"	preformatted text
<s>	class="class name" id="document-wide unique id" style="associated style info"	strike-through text style
<samp>	class="class name" id="document-wide unique id" style="associated style info"	sample program output, scripts, etc.
<select>	class="class name" id="document-wide unique id" size="number" style="associated style info"	option selector
<small>	class="class name" id="document-wide unique id" style="associated style info"	small text style
<span>	class="class name" id="document-wide unique id" style="associated style info"	generic language/style container
<strike>	class="class name" id="document-wide unique id" style="associated style info"	strike-through text

Name	Supported Attributes	Comments
<strong>	class="class name" id="document-wide unique id" style="associated style info"	strong emphasis
<style>		CSS style info. Allowed only in <head>
<sub>	class="class name" id="document-wide unique id" style="associated style info"	subscript
<sup>	class="class name" id="document-wide unique id" style="associated style info"	superscript
<svg>	align="left - middle - right - top" border="pixels" class="class name" height="pixels" hspace="pixels" id="document-wide unique id" style="associated style info" viewBox="x1 y1 x2 y2" vspace="pixels" width="image width"	embedded scalable vector graphics (nested <svg> tags are not allowed)
<table>	align="left - center - right" bgcolor="color name" border="pixels" cellpadding="pixels" cellspacing="pixels" frame="parts of frame to render" id="document-wide unique id" rules="rulings between rows and cols" style="associated style info" width="column width specification"	
<td>	align="left - center - right - justify" bgcolor="color name" class="class name" id="document-wide unique id" style="associated style info" valign="top - middle - bottom - baseline" width="column width specification"	table data cell
<textarea>	class="class name" cols="number" id="document-wide unique id" readonly rows="number" style="associated style info"	multi-line text field
<th>	align="left - center - right - justify" bgcolor="color name" class="class name" cols="number" height="pixels" id="document-wide unique id" nowrap rows="number" style="associated style info" valign="top - middle - bottom - baseline" width="column width specification"	table header cell
<title>		document title
<tr>	bgcolor="color name" class="class name" id="document-wide unique id" style="associated style info"	table row

Name	Supported Attributes	Comments
<tt>	class="class name" id="document-wide unique id" style="associated style info"	teletype or monospaced text style
<u>	class="class name" id="document-wide unique id" style="associated style info"	underlined text style
<ul>	class="class name" id="document-wide unique id" style="associated style info" type="content type"	unordered list
<var>	class="class name" id="document-wide unique id" style="associated style info"	instance of a variable or program argument